



SDS	271, REV L	Effective Date:	January 3, 2005
Number:	PITNEY BOWES INC.	Revised Date:	September 22, 2015
Product	Non-Fluorescent Blue and Red	Page:	1 of 8
Name:	Ink for K700		

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier 1.1

> **Trade Name:** Non-Fluorescent Blue and Red Ink for K700

Reorder Number: 797-0SB Non-Fluorescent Blue 797-0RN Non-Fluorescent Red

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Use: Printer Cartridge

Details of the Supplier of the Safety Data Sheet 1.3

Manufacturer:

US Facility: UK Facility: Pitney Bowes Inc. Building 5 Trident Place

27 Waterview Drive

MSC 27-3C Shelton, CT 006484

United States

Hatfield Business Park

Canada Distributer:

Pitney Bowes Ltd.

Ontario L4W 5C7

Mississauga,

5500 Explorer Drive

Mosquito Way Hatfield

Hertfordshire, AL10 9UJ Canada

United Kingdom

Information Phone

Number:

905-619-7861 800-243-7824 +44(0) 8705 252 525

ehs@pb.com E-mail:

SDS website: www.PB.com/SDS

1.4 **Emergency Telephone Number**

> **Emergency Spill** 203-922 5340 00-1-203-922 5340 North America Information International

SDS Date of Preparation: September 22, 2015

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

CLP/GHS Classification (1272/2008): Not classified as hazardous.

2.2 Label Elements: US: None Required.

EU: Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other Hazards: None

SDS	271, REV L	Effective Date:	January 3, 2005
Number:	PITNEY BOWES INC.	Revised Date:	September 22, 2015
Product	Non-Fluorescent Blue and Red	Page:	2 of 8
Name:	Ink for K700		

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Chemical Name	CAS#	EINECS#	GHS Classification	%
			Regulation (EC) No 1272/2008	
Water	7732-18-5	231-791-2	Not Applicable	60-70
Glycerol	56-81-5	200-289-5	Not Applicable	15-25
Diethylene glycol	111-46-6	203-872-2	Acute Tox 4 (H302)	0 - 9
Dyes and Toners	Proprietary	Proprietary	Not Applicable	1-5
Triethylene glycol	143-22-6	205-592-6	Eye Dam. 1 (H318)	< 3
mono-n-butyl				
ether				
1,2-	2634-33-5	220-120-9	Acute Tox. 4 (H302), Skin Irrit. 2 (H315),	0.015
benzisothiazol-3			Skin Sens. 1 (H317), Eye Dam. 1 (H318),	0.015 - <0.5
(2H)			Acute Aquatic Tox 1 (H400)	<0.0

See Section 16 for further information on GHS Classification.

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

Eyes: Flush eyes with plenty of cool water, holding eyelids open to assure thorough rinsing. Get medical attention if irritation develops or persists.

Skin: Wash with soap and water. Get medical attention if irritation develops or persists.

Inhalation: Remove to fresh air. Get medical attention if irritation develops or persists.

Ingestion: If small amounts are ingested, no first aid should be necessary. If large amounts are swallowed, do not induce vomiting unless directed by a medical professional. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get medical attention.

Notes to Physicians: Treat symptomatically.

- **4.2** Most Important symptoms and effects, both acute and delayed: May cause mild eye irritation.
- 4.3 Indication of any immediate medical attention and special treatment needed: Immediate medical treatment should not be required

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing Media:

Use water spray, carbon dioxide, dry chemical or foam to extinguish fire.

5.2 Special Hazards Arising from the Substance or Mixture

Unusual Fire and Explosion Hazards: None known.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.

5.3 Advice for Fire-Fighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SDS	271, REV L	Effective Date:	January 3, 2005
Number:	PITNEY BOWES INC.	Revised Date:	September 22, 2015
Product	Non-Fluorescent Blue and Red	Page:	3 of 8
Name:	Ink for K700		

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with eyes, skin and clothing.

6.2 Environmental Precautions:

It is recommended to keep away from drains; surface and ground water.

6.3 Methods and Material for Containment and Cleaning Up:

Large Spill: Not sold in large quantities.

Small Spill: Wipe up with absorbent material and place into a suitable container for disposal. Rinse area with a damp cloth to remove residue.

6.4 Reference to Other Sections:

Refer to Section 8 for protective equipment and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Avoid contact with eyes, skin, and clothing. Wash thoroughly after use.

7.2 Conditions for Safe Storage, Including any Incompatibilities:

Keep away from excessive heat and cold. Keep out of the reach of children.

7.3 Specific end use(s):

Printer Cartridge

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 | Control Parameters:

Chemical Name	Exposure Limits
Water	None Established
Glycerol	
United States	15 mg/m3 TWA (Total dust) OSHA PEL
	5 mg/m3 TWA (Respirable fraction) OSHA PEL
Australia	10 mg/m3 TWA
Germany	50 mg/m3 TWA (Inhaleable); 100 mg/m3 STEL (Inhaleable)
Spain	10 mg/m3 TWA
United Kingdom	10 mg/m3 TWA
Diethylene Glycol	
United States	10 ppm TWA AIHA WEEL
Australia	23 ppm TWA
Germany	10 ppm TWA; 40 ppm STEL
United Kingdom	23 ppm TWA
Triethylene glycol mono-n-butyl	None Established
ether	
Dyes and Toners	None Established

SDS	271, REV L	Effective Date:	January 3, 2005
Number:	PITNEY BOWES INC.	Revised Date:	September 22, 2015
Product	Non-Fluorescent Blue and Red	Page:	4 of 8
Name:	Ink for K700		

8.2 Exposure Controls:

Engineering Controls: General ventilation sufficient to keep exposure below exposure limits

Respiratory Protection: None normally required.

 ${\bf Skin\ Protection:}$ None normally required. Wear rubber gloves if needed to avoid skin

contact.

Eye Protection: None normally required. Wear safety glasses if eye contact is possible.

Other: Not required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Physical and Chemical Properties:

Appearance: Ink cartridge containing a blue or red liquid.	Vapor Density: Not determined
Odor: Slight odor	Specific Gravity: 1.0-1.1
Odor Threshold: Not determined	Water Solubility: Soluble
pH: Not determined	Octanol/Water Partition Coefficient:
	Not determined
Melting Point/Freezing Point:	Autoignition Temperature:
<-5°C (23°F)	Not determined
Boiling Point: >100°C (212°F)	Decomposition Temperature:
	Not determined
Flash Point: Does not flash at 93.3°C (199.9°F)	Viscosity: 1-5 mPa s
or lower.	
Evaporation Rate: Not determined	Explosion Properties: Not determined
Flammable Limits: LEL: Not determined	Oxidizing Properties: Not determined
UEL: Not determined	
Vapor Pressure: Not determined	VOC: Not determined

9.2 Other Information:

None

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

Not reactive under normal conditions of use.

10.2 Chemical Stability:

Stable.

10.3 Possibility of Hazardous Reactions:

None known.

10.4 Conditions to Avoid:

None known.

10.5 Incompatible Materials:

SDS	271, REV L	Effective Date:	January 3, 2005
Number:	PITNEY BOWES INC.	Revised Date:	September 22, 2015
Product	Non-Fluorescent Blue and Red	Page:	5 of 8
Name:	Ink for K700		

Avoid strong oxidizers and strong bases.

10.6 Hazardous Decomposition Products:

Carbon dioxide, and carbon monoxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Eyes: May cause mild irritation with redness and tearing.

Skin: No adverse effects expected under normal use.

Ingestion: Swallowing large amounts may cause abdominal pain, headache, dizziness,

drowsiness, nausea, vomiting and diarrhea.

Inhalation: No adverse effects expected during normal use. High vapor concentrations due to heating may cause coughing, sore throat, headache, dizziness, drowsiness and vomiting.

Prolonged intentional inhalation may result in respiratory tract irritation.

Acute Toxicity Values:

Product	LD50: >2,000 mg/kg		Oral
Glycerol	LD50: 6,500 mg/kg	Rat	Oral
	LC50: > 570 mg/m3/ 1 hr	Rat	Inhalation
Diethylene Glycol	LD50: 15,600 mg/kg	Rat	Oral
	LC50: >2,000 mg/kg	Rat	Dermal
Triethylene glycol mono-n-	LD50: 5,300 mg/kg	Rat	Oral
butyl ether	LD50: 3,540 mg/kg	Rabbit	Dermal

Irritation: This product may cause mild eye irritation.

Corrosivity: Not classified as a corrosive product.

Sensitization: This product is not expected to cause sensitization.

Specific Target Organ Toxicity:

Single Exposure: No data available.

Repeat Exposure: Prolonged intentional inhalation may result in respiratory tract irritation.

Prolonged overexposure to diethylene glycol may cause kidney and liver effects.

Carcinogen Status: None of the components of this product are classified as carcinogens by IARC, OSHA, NTP, ACGIH, or the EU CLP.

Germ Cell Mutagenicity: This product has been found to be negative in the AMES test for mutagenicity. Diethylene glycol was negative in the AMES test. CHO-cells were negative for a sister chromatid exchange test with and without metabolic activation at concentrations of 10-50 mg/mL.

Toxicity for Reproduction: This product is not classifies as a reproductive hazard. Diethylene Glycol: In a reproductive study with mice and rats, diethylene glycol was administered for 6-15 days. The NOEL was 559 mg/kg/day with the mouse and 1,118 mg/kg/day with the rat for maternal toxicity, and 2,795 mg/kg/day with mice and 1,118 mg/kg/day with rats for developmental toxicity (fetotoxicity).

SDS	271, REV L	Effective Date:	January 3, 2005
Number:	PITNEY BOWES INC.	Revised Date:	September 22, 2015
Product	Non-Fluorescent Blue and Red	Page:	6 of 8
Name:	Ink for K700		

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity:

No data available for product.

Glycerol: LC50 Daphnia magna (Water flea) >10000 mg/L/24 hr;

LC50 Goldfish >5000 mg/L/ 24 hr

Diethylene Glycol: LC50 Lepomis macrochirus (Bluegill fish) 1,000 mg/L/ $96 \mathrm{\ hr}$

Triethylene glycol mono-n-butyl ether: LC50 Pimephales promelas (Fathead minnow)

2400 mg/L/96 hr

LC50 Daphnia magna (Water flea) 2210 mg/L/48 hr

12.2 Persistence and Degradability:

No data available for product.

Glycerol: Biodegradation rate constants of 0.258/day and 0.200/day in respirometric test systems employing activated sludge have been reported, corresponding to 68% and 78% degradation, respectively.

Diethylene glycol is readily biodegradable (90% in 28 days)

Triethylene glycol mono-n-butyl ether: The theoretical BODs for triethylene glycol monobutyl ether are 0, 5, and 24% for 5 days, 10 days, and 20 days, respectively, indicating that it will be partially removed from biological wastewater treatment plants.

12.3 Bioaccumulative Potential:

No data available for product.

Glycerol: An estimated BCF of 3 was calculated in fish for glycerin, using a log Kow of -1.76 and a regression-derived equation. This BCF suggests the potential for bio concentration in aquatic organisms is low.

Diethylene glycol is not expected to bio accumulate in aquatic organisms.

Triethylene glycol mono-n-butyl ether: An estimated BCF of 3 was calculated in fish for triethylene glycol monobutyl ether (SRC), using an estimated log Kow of 0.02 and a regression-derived equation. This BCF suggests the potential for bio concentration in aquatic organisms is low.

12.4 Mobility in Soil:

No data available for product.

Glycerol: is expected to have very high mobility in soil

Diethylene glycol is expected to have a high rate of mobility in soil.

Triethylene glycol mono-n-butyl ether: According to a classification scheme, this estimated Koc value suggests that triethylene glycol monobutyl ether is expected to have very high mobility in soil.

12.5 Results of PBT and vPvB Assessment:

Not required.

12.6 Other Adverse Effects:

None.

SDS	271, REV L	Effective Date:	January 3, 2005
Number:	PITNEY BOWES INC.	Revised Date:	September 22, 2015
Product	Non-Fluorescent Blue and Red	Page:	7 of 8
Name:	Ink for K700		

SECTION 13: DISPOSAL INFORMATION

13.1 Waste Treatment Methods

Dispose in accordance with local, state or provincial and federal or national regulations.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN	14.2	14.3	14.4	14.5
	Number	UN Proper Shipping Name	Transport Hazard	Packing Group	Environmental Hazards
	1,0111001		Class(s)	o,roup	
US DOT	None	Not regulated for transport	None	None	No
EU ADR/RID	None	Not regulated for transport	None	None	No
IATA:	None	Not regulated for transport	None	None	No
IMDG	None	Not regulated for transport	None	None	No

14.6 Special Precautions for User:

None

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

<u>International Inventories:</u>

US EPA TSCA Inventory: All of the components are listed or exempt on the EPA TSCA inventory.

EU Inventory: All of the components in this product are listed on or exempt from the EINECS inventory.

Japanese Regulations: All of the components are listed on the METI inventory.

U.S. REGULATIONS

CERCLA: Spills of this product are not required to be reported to the National Response Center. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

EPA SARA 302: This product does not contain chemicals regulated under SARA Section 302. **EPA SARA 311 Hazard Classification:** None

EPA SARA 313: This product contains the following chemicals that are regulated under SARA Title III, section 313: Triethylene Glycol n-butyl ether: CAS# 143-22-6 (Glycol Ethers)

SDS	271, REV L	Effective Date:	January 3, 2005
Number:	PITNEY BOWES INC.	Revised Date:	September 22, 2015
Product	Non-Fluorescent Blue and Red	Page:	8 of 8
Name:	Ink for K700		

California Proposition 65: This product contains the following chemicals which are known to the State of California to cause cancer, reproductive toxicity or birth defects: None.

INTERNATIONAL REGULATIONS

German WGK: Not determined.

15.2 Chemical Safety Assessment:

Not required

SECTION 16: OTHER INFORMATION

NFPA Codes: Health: 0 Fire: 0 Instability: 0 HIMS Codes: Health: 0 Fire: 0 Physical Hazard: 0

GHS Phrases for Reference (See Section 2 and 3):

Acute Aquatic Tox 1 – Acute Aquatic Toxicity Category 1

Acute Tox. 4 - Acute Toxicity Category 4

Eye Dam. 1 – Eye Damage Category 1

Skin Irrit. 2 – Skin Irritation Category 2

Skin Sens. 1 – Skin Sensitizer Category 1

H302 Harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H400 Very toxic to aquatic life

SDS Prepared By: Chemical Review Board Date Revised: September 22, 2015

Revision Summary: Update and change Section 15. Remove EU & WHMIS Statements.

Emergency spill information number updated in November 2020

Previous Revision: December 30, 2014