



SDS	358, REV B	Effective Date:	December 2, 2014
Number:	PITNEY BOWES, INC.	Revised Date:	February 12, 2016
Product	Pitney Bowes Toner Cartridges	Page:	1 of 8
Name:			

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1 Product Identifier

Trade Name: Pitney Bowes Toner Cartridge

Reorder Number: BR3-W

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Use: Copier Toner Cartridge

1.3 Details of the Supplier of the Safety Data Sheet

Manufacturer:

US Facility: UK Facility: Canada Distributer:
Pitney Bowes Inc. Building 5 Trident Place Pitney Bowes Ltd.
27 Waterview Drive Hatfield Business Park 5500 Explorer Drive

MSC 27-3C Mosquito Way Mississauga,
Shelton, CT 006484 Hatfield Ontario L4W 5C7

United States Hertfordshire, AL10 9UJ Canada

United Kingdom

Information Phone

Number:

800-243-7824 +44(0) 8705 252 525 905-619-7861

E-mail: ehs@pb.com

SDS website: www.PB.com/SDS

1.4 Emergency Telephone Number

Emergency Spill203-922 534000-1-203-922 5340InformationNorth AmericaInternational

SDS Date of Preparation: February 12, 2016

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

CLP/GHS Classification (1272/2008):

Physical:	Health:	Environmental
	Eye Irritant Category 2A Skin Sensitizer Category 1	Non-Hazardous
	Skin Sensitizer Category 1	

OSHA HazCom2012: Combustible dust.

SDS	358, REV B	Effective Date:	December 2, 2014
Number:	PITNEY BOWES, INC.	Revised Date:	February 12, 2016
Product	Pitney Bowes Toner Cartridges	Page:	2 of 8
Name:			

2.2 Label Elements:



WARNING!

Hazard Phrases:

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
	May form combustible dust concentrations in air.

Precautionary Phrases

P261	Avoid release to the environment.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P264	Wash exposed skin thoroughly after handling.	
P280	Wear protective gloves, and eye protection.	
P302 + P352	IF ON SKIN: Wash with plenty of water and soap.	
P333 + P313	If skin irritation or rash occurs: Get medical attention.	
P305 + P351 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
P338	lenses, if present and easy to do. Continue rinsing.	
P337 + P313	If eye irritation persists: Get medical attention.	
P363	Wash contaminated clothing before reuse.	
P501	Dispose of container and contents to approved disposal site in accordance with	
	all local and national regulations.	

2.3 Other Hazards: None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures:

Chemical	CAS#	EINECS#	GHS Classification	%
Name			Regulation (EC) No 1272/2008	
Toner Powder	Mixture	Mixture	Not Applicable	97.5 - 99
Carbon Black*	1333-86-4	215-609-9	Carcinogen Category 2 (H351)	1 - 10
Rosin	65997-04-8	266-040-8	Eye Corr 1 (H318)	1 - 2.5
			Skin Sens. 1 (H317)	
			Aqua. Chron. 4 (H413)	

^{*}The carbon black in this product is inextricably bound within a polymer matrix and will not present a risk of exposure.

See Section 16 for further information on GHS Classification.

SDS	358, REV B	Effective Date:	December 2, 2014
Number:	PITNEY BOWES, INC.	Revised Date:	February 12, 2016
Product	Pitney Bowes Toner Cartridges	Page:	3 of 8
Name:			

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

Eyes: Do not rub eyes. Flush with plenty of running cool to lukewarm water for 15 minutes, holding eye lids open to assure thorough rinsing. Get immediate medical attention.

Skin: Wash with soap and water.

Inhalation: Remove to fresh air. Wash nostrils, rinse mouth. Get medical attention if symptoms or difficulty breathing persist.

Ingestion: If swallowed, dilute with water. Do not induce vomiting unless directed to do so by a doctor or physician. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get medical attention if symptoms occur.

Notes to Physicians: Treat symptomatically.

- **4.2 Most Important symptoms and effects, both acute and delayed:** Contact causes eye irritation. Inhalation of dust may cause respiratory irritation. Prolonged inhalation overexposure may result in lung damage. May cause an allergic skin reaction in sensitive individuals.
- **4.3** Indication of any immediate medical attention and special treatment needed: Immediate medical treatment should not be required.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing Media:

Use water spray, dry chemical or foam to extinguish fire.

5.2 Special Hazards Arising from the Substance or Mixture

Unusual Fire and Explosion Hazards: Toner powder can form explosive mixtures with air at high concentrations.

Hazardous Decomposition Products: May produce carbon oxides under fire conditions.

5.3 Advice for Fire-Fighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Do not use methods that may create a dust cloud, such as high pressure water.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid inhalation of dust. Carefully sweep up material, or vacuum taking care not to generate airborne dust. Do not use vacuum if large amounts are released due to risk of dust explosion. Wipe up residual with a damp cloth.

6.2 Environmental Precautions:

It is recommended to keep away from drains, surface and ground water.

6.3 Methods and Material for Containment and Cleaning Up:

Large Spill: Not sold in large quantities.

SDS	358, REV B	Effective Date:	December 2, 2014
Number:	PITNEY BOWES, INC.	Revised Date:	February 12, 2016
Product	Pitney Bowes Toner Cartridges	Page:	4 of 8
Name:			

Small Spill: Sweep up, or vacuum small amounts of material.

6.4 Reference to Other Sections:

Refer to Section 8 for protective equipment and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Avoid inhalation of toner dust. Avoid direct contact with toner. Follow product label instructions.

7.2 Conditions for Safe Storage, Including any Incompatibilities:

Store in a cool, dry place. Keep out of the reach of children.

7.3 Specific end use(s):

Copier Toner Cartridge

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters:

Chemical Name	Exposure Limits
Toner powder (regulated as particulates	5 mg/m3 (respirable fraction) TWA OSHA PEL
not otherwise classified - PNOC)	15 mg/m3 TWA (total dust) TWA OSHA PEL
	5 mg/m3 (respirable fraction) TWA – France OEL
Carbon Black	3.5 mg/m3 TWA OSHA PEL
	3.5 mg/m3 TWA ACGIH TLV,
	3.5 mg/m3 TWA, 7 mg/m3 STEL- UK WEL
	3.5 mg/m3 TWA – Spain OEL
	3.0 mg/m3 TWA – Australia OEL
Rosin	None established

8.2 Exposure Controls:

Engineering Controls: General room ventilation will be adequate for normal use.

Respiratory Protection: Not required under normal use conditions.

Skin Protection: Not required under normal use conditions. Use protective gloves if skin contact is expected.

Eye Protection: Wear safety glasses or goggles when eye contact is possible.

Other: Not required for normal use conditions. For industrial settings: Use personal

protective equipment as required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Physical and Chemical Properties:

Appearance: Black or colored powder	Vapor Density: Not applicable
Odor: Slight or no odor.	Specific Gravity: 1.3 – 1.8
Odor Threshold: Not determined	Water Solubility: Negligible
pH: Not applicable	Octanol/Water Partition Coefficient:

SDS	358, REV B	Effective Date:	December 2, 2014
Number:	PITNEY BOWES, INC.	Revised Date:	February 12, 2016
Product	Pitney Bowes Toner Cartridges	Page:	5 of 8
Name:			

	Not available
Melting Point/Freezing Point:	Autoignition Temperature:
212-302°F (100-150°C)	Not applicable
Boiling Point and Range: Not applicable	Decomposition Temperature:
	Not determined
Flash Point: None	Viscosity: Not applicable
Evaporation Rate: Not applicable	Explosion Properties: Toner powder can form
	explosive mixtures with air at high concentrations.
Flammable Limits: LEL: Not determined	Flammability (Solid, Gas): Non-Flammable
UEL: Not determined	solid.
Oxidizing Properties: Not determined	Vapor Pressure: Not applicable
VOC: Not available	

9.2 Other Information:

None

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

Not reactive under normal conditions of use.

10.2 Chemical Stability:

Stable.

10.3 Possibility of Hazardous Reactions:

None known

10.4 Conditions to Avoid:

Avoid excessive heat.

10.5 Incompatible Materials:

Avoid contact with strong oxidizing agents.

10.6 Hazardous Decomposition Products:

Thermal decomposition may produce carbon and nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Eyes: Contact causes eye irritation.

Skin: May cause an allergic skin reaction in sensitive individuals.

Ingestion: No adverse effects expected. This product is not acutely toxic by ingestion. **Inhalation:** Could be a route of exposure, but unlikely under normal use. Inhalation of toner powder may cause mucous membrane, and respiratory irritation. Prolonged and repeated overexposure may cause lung damage.

SDS	358, REV B	Effective Date:	December 2, 2014
Number:	PITNEY BOWES, INC.	Revised Date:	February 12, 2016
Product	Pitney Bowes Toner Cartridges	Page:	6 of 8
Name:			

Acute Toxicity Values:

Rosin: LD50 Oral Rat > 2,000 mg/kg

LD50 Skin Rat \geq 2,000 mg/kg

Carbon Black: LD50 Oral Rat > 15,400 mg/kg

LD50 Skin Rabbit > 3,000 mg/kg

Irritation: Contact causes eye irritation.

Corrosivity: This is not a corrosive product.

Sensitization: This product can cause sensitization. Rosin is skin sensitizers.

Specific Target Organ Toxicity:

Single Exposure: None known.

Repeat Exposure: In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16 mg/m3) exposure group. A minimal to mild degree of lung fibrosis was observed in 22% of the rats in the middle (4 mg/m3) exposure group. No pulmonary change was reported in the lowest (1 mg/m3) exposure group, the most relevant level to potential human exposures.

Carcinogen Status: In 1996 IARC re-evaluated carbon black as a group 2B carcinogen (possible human carcinogen). The carbon black in this product is inextricably bound within a polymer matrix and will not present a risk of exposure. None of the other components of this product at greater than 0.1% are classified as carcinogens by IARC, OSHA, NTP, ACGIH, or the EU CLP.

Germ Cell Mutagenicity: This product is not expected to be a mutagen.

Toxicity for Reproduction: This product is not a reproductive hazard.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity:

No data available for product.

Rosin: LL50: Pimephales promelas (Fathead minnow) >1000 mg/L/96 hr.

LC50: Daphnia magna >1000 mg/L /48 hr.

12.2 Persistence and Degradability:

No data available for product.

Rosin: 15% Degradation in 28 days.

12.3 Bioaccumulative Potential:

No data available for product.

12.4 Mobility in Soil:

No data available for product.

12.5 Results of PBT and vPvB Assessment:

Not required.

SDS	358, REV B	Effective Date:	December 2, 2014
Number:	PITNEY BOWES, INC.	Revised Date:	February 12, 2016
Product	Pitney Bowes Toner Cartridges	Page:	7 of 8
Name:			

12.6 Other Adverse Effects:

None.

SECTION 13: DISPOSAL INFORMATION

13.1 Waste Treatment Methods

Dispose in accordance with local, state or provincial and federal or national regulations.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
US DOT	None	Not regulated for transport	None	None	No
EU ADR/RID	None	Not regulated for transport	None	None	No
IATA:	None	Not regulated for transport	None	None	No
IMDG	None	Not regulated for transport	None	None	No

14.6 Special Precautions for User:

None

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

International Inventories:

US EPA TSCA Inventory: All of the components are listed or exempt on the EPA TSCA inventory.

U.S. REGULATIONS

CERCLA: Spills of this product are not required to be reported to the National Response Center. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

EPA SARA 302: This product does not contain chemicals regulated under SARA Section 302. **EPA SARA 311 Hazard Classification:** Fire Hazard.

EPA SARA 313: This product contains the following chemicals that are regulated under SARA Title III, section 313: None

SDS	358, REV B	Effective Date:	December 2, 2014
Number:	PITNEY BOWES, INC.	Revised Date:	February 12, 2016
Product	Pitney Bowes Toner Cartridges	Page:	8 of 8
Name:			

California Proposition 65: This product contains the following chemicals which are known to the State of California to cause cancer, reproductive toxicity or birth defects: Carbon Black 1.0-10%. The carbon black in this product is inextricably bound within a polymer matrix and will not present a risk of exposure.

INTERNATIONAL REGULATIONS

German WGK: Not determined.

15.2 Chemical Safety Assessment:

Not required

SECTION 16: OTHER INFORMATION

NFPA Codes: Health: 2 Fire: 2 Instability: 0

HIMS Codes: Health: 2 Fire: 2 Physical Hazard: 0

GHS Phrases for Reference (See Section 2 and 3):

Aqua. Chron. 4 - Chronic Aquatic Toxicity Category 4

Eye Corr. 1 – Eye Corrosion Category 1 Eye Irrit. 2 – Skin Irritant Category 2

Skin Sens. 1 – Skin Sensitizer Category 1

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H413 May cause long lasting harmful effects to aquatic life.

SDS Prepared By: Chemical Review Board Date Revised: February 12, 2016

Revision Summary: Update and change Section 15. Remove EU & WHMIS Statements.

Emergency spill information number updated in November 2020

Previous Revision: December 2, 2014